

Malleable Iron

Class 300 (XS / XH)



FIGURE 1164R Reducing Tee	Size						Center to End						Unit Weight			
							A		B		C		Black		Galv.	
	NPS	DN	NPS	DN	NPS	DN	in	mm	in	mm	in	mm	lbs	kg	lbs	kg
	3/8	10	3/8	10	1/4	8	1	25	1	25	1	25	0.37	0.17	-	-
	1/2	15	1/2	15	1/4	8	1 1/16	27	1 1/16	27	1 1/8	29	0.48	0.22	-	-
					3/8	10	1 3/16	30	1 3/16	30	1 3/8	30	0.61	0.28	-	-
					3/4	20	1 3/8	35	1 3/8	35	1 5/16	33	0.80	0.36	-	-
	3/4	20	1/2	15	1/2	15	1 1/16	33	1 1/4	32	1 3/8	35	0.78	0.35	-	-
					3/4	20	1 1/16	37	1 3/8	35	1 1/16	37	0.93	0.42	-	-
					1/4	8	1 3/16	30	1 3/16	30	1 1/4	32	0.76	0.34	-	-
	1	25	3/4	20	3/8	10	1 1/4	32	1 1/4	32	1 1/16	33	0.80	0.36	-	-
					1/2	15	1 1/16	33	1 1/16	33	1 3/8	35	0.90	0.41	0.9	0.41
					1	25	1 1/2	41	1 1/2	38	1 3/8	41	1.36	0.62	-	-
	1 1/4	32	1	25	3/4	20	1 1/2	38	1 7/16	37	1 1/16	40	1.27	0.58	-	-
					1	25	1 3/8	41	1 3/8	40	1 3/8	41	1.38	0.63	-	-
					1/4	8	1 1/4	32	1 1/4	32	1 3/8	35	1.09	0.49	-	-
	1 1/2	40	1 1/2	40	3/4	20	1 1/2	37	1 7/16	37	1 1/2	38	1.26	0.57	1.26	0.57
					1	25	1 3/8	41	1 3/8	41	1 3/8	40	1.33	0.60	1.33	0.60
3/4					20	1 1/2	38	1 1/2	38	1 1/16	40	1.33	0.60	1.33	0.60	
1 3/4	40	1	25	1	25	1 3/4	44	1 5/8	41	1 13/16	47	1.92	0.87	-	-	
				1/2	15	1 1/2	38	1 1/2	38	1 11/16	43	1.70	0.77	1.70	0.77	
				3/4	20	1 3/8	41	1 3/8	41	1 3/4	44	1.90	0.86	1.90	0.86	
2	50	1	25	1	25	1 3/4	44	1 3/4	44	1 13/16	47	2.10	0.95	2.10	0.95	
				1/2	15	1 1/2	38	1 1/2	38	1 11/16	43	1.70	0.77	1.70	0.77	
				3/4	20	1 3/8	41	1 3/8	41	1 3/4	44	1.90	0.86	1.90	0.86	
2 1/2	65	1 1/2	40	1	25	1 13/16	47	1 13/16	47	2	51	2.60	1.18	2.60	1.18	
				1/4	32	2	51	2	51	2 1/16	52	3.05	1.38	3.05	1.38	
				1 1/2	40	2 1/2	64	2 1/2	60	2 1/2	64	4.50	2.04	-	-	
3	80	2	50	1/2	15	1 3/4	44	1 3/4	44	2 1/16	52	3.35	1.52	3.35	1.52	
				3/4	20	1 13/16	47	1 13/16	47	2 1/8	54	3.56	1.61	3.56	1.61	
				1	25	2	51	2	51	2 1/4	57	3.70	1.68	3.70	1.68	
3 1/2	90	1 1/4	32	1 1/4	32	2 1/8	54	2 1/8	54	2 5/16	59	4.22	1.91	4.22	1.91	
				1 1/2	40	2 1/4	57	2 1/4	57	2 3/8	60	4.60	2.09	4.60	2.09	
				1 1/2	40	2 7/16	62	2 7/16	62	2 5/8	67	6.35	2.88	-	-	
4	100	2 1/2	65	2	50	2 11/16	68	2 11/16	68	2 3/4	70	7.60	3.45	-	-	
				3	80	2 13/16	73	2 13/16	73	3 1/8	79	9.60	4.35	9.60	4.36	

FIGURE 1165 Cross	Size		Center to End A		Unit Weight			
					Black		Galv.	
	NPS	DN	in	mm	lbs	kg	lbs	kg
	1/4	8	1 5/16	24	0.35	0.16	-	-
	3/4	20	1 7/16	37	1.25	0.57	1.25	0.57
	1	25	1 5/8	41	1.90	0.86	-	-
	1 1/4	32	1 15/16	49	3.23	1.46	-	-
	1 1/2	40	2 1/8	54	4.20	1.90	-	-
	2	50	2 1/2	64	6.49	2.94	-	-

Note: See page 17 for pressure-temperature ratings. Galvanized weights may vary. Please contact your Anvil Representative if you need verification. All Elbows & Tees 3/4" (10 DN) and Larger are 100% Gas Tested at a Minimum of 100 PSI. (6.9 bar)