



Mueller Streamline Co. Headquarters

150 Schilling Blvd
Suite 201
Collierville, Tennessee 38017
United States
Phone: 901 753 3200

Mueller Streamline Co. International

525 Okeechobee Blvd
Suite 860
West Palm Beach, FL 33401
United States
Phone: 561 273 8300

[All Categories](#) > [Copper Pressure Fittings](#) > [Elbows](#) > [Mueller Streamline® 90° Elbow Drop Ear \(C x C\)](#) > Item # A 02556NL

ITEM # A 02556NL, 90° ELBOW DROP EAR, C X C, 3/4"

Streamline® Copper Solder-Joint Fittings for DWV plumbing applications are available in both wrought copper and cast bronze materials. Designed for use in non-pressurized sanitary systems, these fittings commonly feature shorter solder cup designs and more sweeping turns. They are available in a wide range of diameters styles and connections to meet most all sanitary system applications.

For use in non-pressurized drain, waste and vent sanitary systems

Constructed of high-grade copper or bronze materials

Made to applicable ASME standards B16.23, B16.29

Wrot fittings meet NSF 61G



[less](#)

[Specifications](#) | [Dimensions](#) | [Details](#)

Specifications

Weight	0.23 lb
Material	LEAD-FREE* CAST BRASS ALLOY
Operating Temperature	CDA-Copper-Fitting-Pressue-Temp-Ratings
Operating Pressure	CDA-Copper-Fitting-Pressue-Temp-Ratings
End Type	C - Cup (Female Solder)
End Size	3/4
Second End Type	C - Cup (Female Solder)
Second End Size	3/4
Standards	ASME B16.15 ASME B16.18 ASME B16.22 ASME B16.24 ASME B16.50 ASME B1.20.1

Dimensions

Overall Length	1.90 in
Overall Height	1.80 in
Overall Width	2.10 in

Details

Style	C-210
Qty Pcs / Bag	10
Master Qty Pcs / Box	200

Mueller Description 1

3/4 C X C D/EAR 90 ELL

Mueller Description 2

7/8 OD D/EAR 90 ELL