



### Mueller Streamline Co. Headquarters

150 Schilling Blvd  
Suite 201  
Collierville, Tennessee 38017  
United States  
Phone: 901 753 3200

### Mueller Streamline Co. International

525 Okeechobee Blvd  
Suite 860  
West Palm Beach, FL 33401  
United States  
Phone: 561 273 8300

[All Categories](#) > [Copper Pressure Fittings](#) > [Elbows](#) > [Mueller Streamline® 90° Elbow Short Radius Street \(FTG x C\)](#) > Item # W 02330

---

## ITEM # W 02330, 90° ELBOW SHORT RADIUS STREET , FTG X C, 5/8"

---

Streamline® Copper Solder-Joint Fittings for supply/pressurized systems have been the leading brand of copper fittings for over 80 years. Available in both wrought copper and cast bronze, our product selection has grown to become the most extensive in the industry. We are the acknowledged experts at engineering and manufacturing precision solder-joint copper fittings. Quality, consistency and reliability have made the Streamline® brand trusted and specified all around the world.

For use in above-ground potable water supply systems  
Constructed of high-grade copper or bronze materials  
Made to applicable ASME standards B16.15, B16.18, B16.22, B16.24, B16.50, B1.20.1  
Wrot fittings meet NSF 61G



[- less](#)

---

[Specifications](#) | [Dimensions](#) | [Details](#)

## Specifications

<b>Weight</b>	0.09 lb
<b>Material</b>	WROT COPPER
<b>Operating Temperature</b>	<a href="#">CDA-Copper-Fitting-Pressue-Temp-Ratings</a>
<b>Operating Pressure</b>	<a href="#">CDA-Copper-Fitting-Pressue-Temp-Ratings</a>
<b>End Type</b>	C - Cup (Female Solder)
<b>End Size</b>	5/8
<b>Second End Type</b>	FTG - Fitting (Male Solder)
<b>Second End Size</b>	5/8
<b>Standards</b>	NSF 61G ASME B16.15 ASME B16.18 ASME B16.22 ASME B16.24 ASME B16.50 ASME B1.20.1

## Dimensions

<b>Overall Length</b>	1.99 in
<b>Overall Height</b>	1.87 in
<b>Overall Width</b>	0.75 in

## Details

<b>Style</b>	WE-503
<b>Qty Pcs / Bag</b>	25

**Master Qty Pcs / Box**

250

**Mueller Description 1**

5/8 FTG X C SR 90 ELL

**Mueller Description 2**

3/4OD FTG X C SR 90 ELL